

EG-Baumusterprüfbescheinigung

EC type examination certificate

CE-0085BS0290

Produkt-Identnummer
product identification no.

Anwendungsbereich <i>field of application</i>	EG-Gasgeräte richtlinie (90/396/EWG) <i>EC Gas Appliances Directive (90/396/EEC)</i>
Zertifikatinhaber <i>owner of certificate</i>	BAXI S.p.A. Via Trozzetti 20, I-36061 Bassano del Grappa (VI)
Vertreiber <i>distributor</i>	BAXI S.p.A. Via Trozzetti 20, I-36061 Bassano del Grappa (VI)
Produktart <i>product category</i>	Boilers with flue systems: Condensing combi water heater (3204)
Produktbezeichnung <i>product description</i>	wall hanging gas boiler (condensing boilers) optionally also as combi water heater
Modell <i>model</i>	LUNA3/NUVOLA3 COMFORT...; COMBISTORE...
Bestimmungsländer <i>countries of destination</i>	AT, BE, BG, CY, CZ, DE, DK, EE, ES, FR, GB, GR, HU, IE, IT, LT, LV, MT, NL, PL, PT, RO, SI, SK, TR
Prüfberichte <i>test reports</i>	type testing: 07/234/3204/920 from 02.10.2007 (EBI)
Prüfgrundlagen <i>basis of type examination</i>	EU/90/396/EWG (29.06.1990) DIN EN 483 (01.06.2000) DIN EN 677 (01.08.1998) DIN EN 625 (01.10.1995)
Aktenzeichen <i>file number</i>	07-0628-GEA

26.11.2007 Rig A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle
date, issued by, sheet, head of certification body

DVGW CERT GmbH - von der Deutschen Bundesregierung benannte und von der Europäischen Kommission offiziell registrierte Stelle für die Konformitätsbewertung von Gasgeräten

DVGW CERT GmbH - notified by the government of the Federal Republic of Germany and officially registered by the European Commission for conformity assessment of gas appliances



ZLS-ZE-527/07

DVGW CERT GmbH
Josef-Wirmer-Straße 1-3
53123 Bonn

Telefon: +49 228 91 88-888
Telefax: +49 228 91 88-993
eMail: info@dvgw-cert.com

Elektrische Daten: 230 V AC, 50 Hz, IPX5D
electrical data

Gerätekatategorien <i>appliance categories</i>	Versorgungsdrücke <i>supply pressures</i>	Bestimmungsländer <i>countries of destination</i>	Bemerkungen <i>remarks</i>
I2E(S)B	20 mbar	BE	
I2H	20 mbar	DK	
I3P	30 mbar	CY, MT	
I3P	37 mbar	BE	
I 2E Lw3P	20, 37 mbar	PL	
I 2ELL3P	20, 50 mbar	DE	
I 2Esi3P	20/25, 37 mbar	FR	
I 2H3P	20, 30 mbar	CZ, EE, LT, LV, RO	
I 2H3P	20, 37 mbar	ES, GB, GR, IE, IT, PT, SI, SK, TR	
I 2H3P	20, 50 mbar	AT	
I 2HM3P	20, 37 mbar	IT	
I 2HS3P	25, 30 mbar	HU	
I 2L3P	25, 30 mbar	NL	
I 2L3P	25, 50 mbar	NL	

Typ <i>type</i>	Technische Daten <i>technical data</i>	Bemerkungen <i>remarks</i>
LUNA3 COMFORT HT 1.120; LUNA3 COMFORT IN HT 1.120	heat output: 3,9...12,0 kW nominal heat input (Hi): 4,0...12,4 kW	
LUNA3 COMFORT HT 1.240	heat output: 4,8...24,0 kW nominal heat input (Hi): 4,9...24,7 kW	
LUNA3 COMFORT HT 240; NUVOLA3 COMFORT HT 240	heat output: 4,0...20,0 kW nominal heat input (Hi): 4,1...20,5; Trinkwasser: ...24,7 kW	
LUNA3 COMFORT HT 280; LUNA3 COMFORT MAX HT 280	heat output: 4,8...24,0 kW nominal heat input (Hi): 4,9...24,7; Trinkwasser: ...28,9 kW	
LUNA3 COMFORT HT 330/MAX HT 330; LUNA3 COMFORT HT 1.280	heat output: 5,6...28,0 kW nominal heat input (Hi): 5,8...28,9; Trinkwasser: ...34,0 kW	
LUNA3 COMFORT IN HT 300	heat output: 8,2...26,0 kW heat input (Hi): 8,5...26,6; Trinkwasser: ...30,9 kW	
LUNA3 COMFORT IN HT 300+	heat output: 5,2...26,0 kW nominal heat input (Hi): 5,3...26,6; Trinkwasser: ...30,9 kW	
NUVOLA COMFORT HT 330	heat output: 9,4...28,0 kW heat input (Hi): 9,7...28,9; Trinkwasser: ...34,0 kW	
LUNA3 COMFORT IN HT 240; LUNA3 COMFORT IN HT 1.240; COMBISTORE HT	heat output: 6,8...24,0 kW heat input (Hi): 7,0...24,7 kW	

Ausführungsvariante <i>type variation</i>	Erläuterungen <i>explanations</i>
...1.120/1.240/1.280; COMBISTORE HT	condensing boiler for central heating
...240/280/300/300+/330	condensing combi water heater
NUVOLA3 COMFORT...	condensing combi water heater with integrated drinking water tank

Verwendungshinweise / Bemerkungen *hints of utilization / remarks*

flue types B23, B33, C13, C13x, C33, C33x, C43, C43x, C53, C53x, C63, C63x, C83 and C83x: according to "MANUAL LUNA3 COMFORT" and "MANUAL NUVOLA3 COMFORT"

Additional tested countries of destination, appliance categories and supply pressures:

BG: I|2H3P (20, 30 mbar)

DVGW

EG-Baumusterprüfbescheinigung

EC type examination certificate

CE-0085BS0290

Produkt-Identnummer
product identification no.

Anwendungsbereich <i>field of application</i>	EG-Wirkungsgradrichtlinie (92/42/EWG) <i>EC Efficiency Directive (92/42/EEC)</i>
Zertifikatinhaber <i>owner of certificate</i>	BAXI S.p.A. Via Trozzetti 20, I-36061 Bassano del Grappa (VI)
Vertreiber <i>distributor</i>	BAXI S.p.A. Via Trozzetti 20, I-36061 Bassano del Grappa (VI)
Produktart <i>product category</i>	Boilers with flue systems: Condensing combi water heater (3204)
Produktbezeichnung <i>product description</i>	wall hanging gas boiler (condensing boilers) optionally also as combi water heater
Modell <i>model</i>	LUNA3/NUVOLA3 COMFORT...; COMBISTORE...
Heizkesseltyp <i>type of boiler</i>	condensing boiler
Prüfberichte <i>test reports</i>	type testing: 07/234/3204/920 from 02.10.2007 (EBI)
Prüfgrundlagen <i>basis of type examination</i>	EU/92/42 (21.05.1992)
Aktenzeichen <i>file number</i>	07-0628-GWA



26.11.2007 Fre A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle
date, issued by, sheet, head of certification body

DVGW CERT GmbH - von der Deutschen Bundesregierung benannte und von der EU-Kommission offiziell registrierte Stelle für die Konformitätsbewertung von Heizkessel-Wirkungsgraden

DVGW CERT GmbH - notified by the government of the Federal Republic of Germany and officially registered by the EC Commission for conformity assessment of heating boiler efficiencies



DVGW CERT GmbH
Josef-Wirmer-Straße 1-3
53123 Bonn

Telefon: +49 228 91 88-888
Telefax: +49 228 91 88-993
eMail: info@dvgw-cert.com

ZP42 9.2-03342/2007

Typ type	Technische Daten technical data	Energieeffizienzkennz. energy labelling
LUNA3 COMFORT HT 1.120; LUNA3 COMFORT IN HT 1.120	heat output: 3,9...12,0 kW nominal heat input (Hi): 4,0...12,4 kW	****
LUNA3 COMFORT HT 1.240	heat output: 4,8...24,0 kW nominal heat input (Hi): 4,9...24,7 kW	****
LUNA3 COMFORT HT 240; NUVOLA3 COMFORT HT 240	heat output: 4,0...20,0 kW nominal heat input (Hi): 4,1...20,5; Trinkwasser: ...24,7 kW	****
LUNA3 COMFORT HT 280; LUNA3 COMFORT MAX HT 280	heat output: 4,8...24,0 kW nominal heat input (Hi): 4,9...24,7; Trinkwasser: ...28,9 kW	****
LUNA3 COMFORT HT 330/MAX HT 330; LUNA3 COMFORT HT 1.280	heat output: 5,6...28,0 kW nominal heat input (Hi): 5,8...28,9; Trinkwasser: ...34,0 kW	****
LUNA3 COMFORT IN HT 300	heat output: 8,2...26,0 kW heat input (Hi): 8,5...26,6; Trinkwasser: ...30,9 kW	****
LUNA3 COMFORT IN HT 300+	heat output: 5,2...26,0 kW nominal heat input (Hi): 5,3...26,6; Trinkwasser: ...30,9 kW	****
NUVOLA COMFORT HT 330	heat output: 9,4...28,0 kW heat input (Hi): 9,7...28,9; Trinkwasser: ...34,0 kW	****
LUNA3 COMFORT IN HT 240; LUNA3 COMFORT IN HT 1.240; COMBISTORE HT	heat output: 6,8...24,0 kW heat input (Hi): 7,0...24,7 kW	****

Verwendungshinweise / Bemerkungen

hints of utilization / remarks

The energy labelling can be used according to the actual regulations of the country of destination for the individual types. The above listed model was certified under the Product-Identnumber CE-0085BS0290 according to the Gas Appliance Directive (90/396/EEC).